

SecureBarrier

SecureAccess

SecureBarrier

SecureDetect

SecureLight

SecureView



Floating Barrier

The barrier is constructed of multiple floating buoys that are coupled together, allowing for a free 360 degree rotation. The buoys are linked to form a barrier of any length desired to suit your specific application needs. Anchor points are established at approximately 80 ft. intervals. Buoys are supplied with a smooth surface alternatively fitted with an array of spikes, custom-sized and shaped to suit the particular threat.

Secure Barrier

Floating Barrier



FEATURES & BENEFITS

Filled with marine closed cell foam, rendering the units virtually unsinkable even if perforated by physical damages by bullet holes or most other methods of puncturing.


Intruders don't have the opportunity to gain hand or foot hold due to the revolving buoys and deadly spikes.

The 30 ton breaking strain barrier will restrict access of most insurgent water craft.

All materials utilized have extended life span, and for corrosive sea water conditions stainless steel coatings and components are offered.

APPLICATION

Ideal applications include any highly sensitive areas where threat via waterway is a potential risk.



SPECIFICATIONS

| | SALT WATER CONDITIONS | FRESH WATER CONDITIONS |
|--------------------------------------|--|--|
| <i>Buoy</i> | UV Stabilized Polymer | UV Stabilized Polymer |
| <i>Couplings & Outer Flanges</i> | 316 Stainless | 304 Stainless or Galvanized Option |
| <i>Shark Tooth Spikes (3in.)</i> | 316 Stainless | 304 Stainless |
| <i>Boat Spike (7 3/4 in.)</i> | Steel with 316 Stainless Thermal Coating | Steel with 304 Stainless Thermal Coating |
| <i>Foam Fill</i> | Closed Cell Marine Foam | Closed Cell Marine Foam |

 SAFEGUARDS
TECHNOLOGY LLC

3 REUTEN DRIVE SUITE E • CLOSTER, NJ 07624
TEL 201.488.1022 • FAX 201.422.1244
www.safeguards.com • info@safeguards.com